

INDEX OF SUBJECTS.

- Acanthoderes nigricans*, double (?) leg, 548
- Acanthodrilus*, double tail, 565
- Acanthothyris*, double monster, 566
- Accessory hoofs of Ox, connected with supernumerary digits, 285
- Acherontia atropos*, colours of larvæ, 304, 305
- Acinopus lepelletieri*, extra legs, 498
- Actinometra*, variation in number of radial joints, 421; 4-rayed specimen, 437; 6-rayed, 437
- Adaptation, Study of, as a method of solving problems of species, 10; logical objection to the method, 12; speculations as to, avoided, 79; of species, approximate only, 11
- Adimonia tanacetii*, double (?) antenna, 550
- Agabus uliginosus*, double (?) leg, 548
- Agestrata dehaanii*, extra legs, 491
- Agonum sexpunctatum*, double (?) leg, 547; *viduum*, double (?) antenna, 550
- Agra catenulata*, extra legs, 512
- Akis punctata*, double (?) antenna, 551
- Alaus sordidus*, extra legs, 508
- Aleochara mæsta*, extra legs, 488
- Allantus*, extra appendage, 544
- Allalobophora*, generative organs of, 160, 162, 165; duplicity of head and tail, 565; *lissænsis*, spermathecæ, 165
- Allurus*, generative organs of, 164, 165; *putris*, 165; *hercynius*, *tetraedrus*, 164
- Alytes*, vertebræ, 127; axial duplicity, 561
- Amblypneustes*, 4-rayed, 443; 6-rayed, 446; partial reduction of a ray, 443; partial duplicity of a ray, 446
- Ammocates*, alleged case of eight pairs of gill-openings, 174
- Ampedus ephippium*, double (?) antenna, 551
- Amphicyclus* (Holothurian), tentacles not in multiples of five, 435
- Amphimallus solstitialis*, extra antennæ, 515
- Amphioxus*, number of gill-slits, 174
- Anagallis arcensis*, colour-variation, 44
- Anas querquedula*, division of digits, 392
- Anchomenus sexpunctatus*, extra antennæ, 523; double (?) antenna, *albipes*, *angusticollis*, 550
- Angora breeds, 55
- Anisoptia floricola* division of epistome, 454
- Annelids, segmentation compared with that of Chordata, 86; imperfect segmentation, 156; spiral segmentation, 157; variation in generative organs, 159; axial duplicity, 563
- Anomala junii*, extra antennæ, 515
- Anser*, spinal nerves, 130, 133
- Antedon*, variation in number of radial joints, 421; 4-rayed specimen, 436; 6-rayed specimen, 437; abnormal branching, 438
- Antenna developed as foot, 146, 147
- Antennæ, variation in number of joints, Pripnidæ, 411; *Polyarthron*, 412; *Lysiphlebus*, 412; *Donacia*, 413; *Forficula*, 413
- extra, in Secondary Symmetry, 513-522; symmetry unknown, 522; arising from head, 551
- supposed double, 548
- Anthia*, extra legs, 502
- Anthocharis cardamines*, colour-variation, 45
- eupheno*, 45; *ione*, 72
- Anthropoid Apes, Variation in Vertebræ, 116; teeth, 199; digits, 349
- Aphodius*, extra legs, 494
- Apis mellifica*, union of compound eyes, 461
- Appendages, joints of, 410
- supernumerary, arrangement of evidence, 474
- in Secondary Symmetry, 475; mechanical model illustrating relations, 480; duplicity of, 406, 539
- Apteryx*, brachial plexus, 130
- Apus*, extra flabellum, 536
- Aquila chrysaetos*, extra digits, 393
- Archibuteo lagopus*, extra digit, 392
- Arctia*, colour-variation, 46
- Arctiocephalus australis* molars, 243
- Arge pherusa*, eye-spots, 295
- Arion*, sinistral, 54
- Aromia moschata*, extra legs, 485, 503, 512; double (?) antenna, 3 cases, 551
- Artemia*, *salina* and *mülhausenii*, 96; *gracilis*, 100; relation to *Branchipus*, 96; segmentation of abdomen, 100
- Arteries, renal, 277; in a case of double-hand, 333
- Arthronomalus*, number of segments, 94
- Arthropoda, variation in number of segments, 87; Homœosis in appendages, 146; axial duplicity, 565
- Articular processes, change from dorsal to lumbar type, 109; variations in position of change, 110, 112, 114, 117, 122

- Artiodactyla, polydactylism, 373; syndactylism, 383; teeth, 245, 246
- Ascidia plebeia*, specimens having every fourth vessel of branchial sac dilated, 172
- Ascidians, variation in branchial structures, 171, 172; extra atriopore, 456
- Ass, canines, 245; molars, 246; absence of digital variation in, 360
- Astacus fluviatilis*, colour-variation, 44
- variation in number of oviducal openings, 84, 152
- absence of male opening, 154
- absence of oviducal opening, 152, 153
- absence of opening from green gland, 154
- extra chelæ, 529, 537
- extra processes from chelæ, 536
- repetition of exopodite of antenna, 538
- A. leptodactylus*, extra dactylopodites, 532
- A. pilimanus* and *braziliensis*, apparent presence of female opening in males, 155
- Asterias*, variation of pedicellariæ, 429; arms, 439
- with 8 rays and 3 madreporites, 440; extra water-pore, 466
- polaris*, normally 6-rayed, 433
- problema*, *tenuispina*, undergo fission, 433
- Asterina*, 4-rayed and 6-rayed specimens, 440
- Asteroidea, arms, 439-441
- Ateles*, teeth, 205, 206, 207
- Atriopore, extra, in Ascidians, 456
- Attelabus*, division of pronotum, 455
- Aulastoma gulo*, asymmetrical variation in generative organs, 167
- Aurelia aurita*, Meristic Variation of, 426; statistics as to, 428
- Auricles, cervical, in Man, 177; in Pig, 179; in Sheep and Goats, 180; are repetitions of ears, 180
- Baer, von, Law of, 8; its proper scope, 9; probably not applicable to cases of Discontinuous Meristic Variation, 571
- Balance between mammæ, 189; between teeth, 213
- Balanocrinus*, 4-rayed specimens, 436
- Balanoglossus*, two methods of development, 9; number of gill-slits, 174; extra proboscis-pore, 466; supposed relation to Chordata, 86
- Batrachia, extra limbs, 554; spinal nerves, 141; vertebræ, 124; extra atrial opening, 465; axial duplicity, 561
- Bdellostoma*, individual and specific variations in number of gill-sacs, 173, 174
- cirrhatum*, *heptatrema*, *heterotrema*, *hexatrema*, 173; *bischoffi*, *polytrema*, 174
- Beech, fern-leaved, 25
- Bees, hermaphrodite, 68; union of eyes, 461; antenna modified as foot, 147
- Beetles, variation of horns, 38; antennæ, 411, 413; extra appendages in Secondary Symmetry, 475; legs, 483; antennæ, 513; palpi, 524; division of pronotum, 455
- supposed double legs, 544; supposed double antennæ, 548; supposed double palpi, 551
- Bembidium striatum*, extra palpi, 524
- Bettongia*, variation in molars, 258; *cuniculus*, *lesueri*, *penicillata*, 258
- Bilateral asymmetry, Homœosis in cases of, 465
- Bilateral Series, nature of, 88; Meristic Variation of, 448
- Bilateral Symmetry, 19; in variation of vertebræ, 128; in variation of Annelids, 167; in variation of mammæ, 183; in variation of teeth, 267; in cervical fistulæ, 175; in variation of ocelli, 292; in variation of digits, 402; in variation in antennæ of *Forficula*, 414; in variation of Radial Series, 427; in abnormal branching of *Antedon*, 438; in distribution of triasters in segmenting egg, 464; in abnormal union of blastomeres, 464
- as found in manus and pes, 369, 403
- influence on Secondary Symmetries doubtful, 557
- Bipinnaria*, extra water-pore, 466
- Birds, spinal nerves, 129; digital Variation, 390, 396
- Blaniulus*, mode of increase in number of segments, 93
- Blaps*, extra legs, 512; extra antennæ, *attenuata*, 522; double antenna, *chevrolati*, *cylindrica*, *similis*, 551
- Blatta*, variation in number of tarsal joints, discussion of, 63; facts, 415; regeneration of tarsus with 4 joints, 416
- Blue, as variation of red, 44
- Boar, Wild, extra digits, 383
- Bombinator*, vertebræ, 127

- Bombus variabilis*, antenna developed as foot, 147
- Bombyx*, extra wing, *quercus*, 284, *rubi*, 282
- Box-turtle, digital variation, 396
- Brachial plexus, birds, 129; Man, 113, 135; Bradypodidæ, 141
- Brachinus crepitans*, double (?) leg, 546
- Brachiopod, double monster, 566
- Bradypodidæ, vertebræ, 118; brachial plexus, 141
- Brachyteles*, teeth, 205
- Branchiæ, variations in number, 172
- Branchiomma*, double tail, 564
- Branchipus*, segmentation of abdomen, 97; relation to *Artemia*, 96—101; species distinguished by sexual characters of male, 100
- ferox*, *spinus*, 97, 100; *stagnalis*, 100
- Brill, pigmentation of blind side, 468, 470
- Brimstone butterfly, variation in colour, 45; nature of pigment, 48
- Broscus vulgaris*, double (?) leg, 547
- Buccinum*, teeth, 262; double operculum, 457
- Bucorvus*, brachial plexus, 131, 132
- Bulldog, teeth, 210, 221
- Bulldog-headed races of Dogs, 57; of Fishes, 57
- Buteo latissimus*, extra digit, 393; *vulgaris* brachial plexus, 131
- Buzzard, extra digit, 392, 393
- Calathus fuscus*, extra eye, 280; extra legs, *cisteloides*, 506, *fulvipes*, 507, *græcus*, 505
- Callidium variabile*, double (?) antenna, 551; *violaceum*, extra antenna arising from head, 551
- Callimorpha*, colour-variation of species of this genus, 46
- Callinectes hastatus*, extra spines on lateral horn of carapace, 557
- Callithrix*, teeth, 208
- Callorhinus ursinus*, teeth, 343
- Caloptenus spretus*, colour-variation, 44
- Calopteron reticulatum*, extra antennæ, 522
- Calopus cisteloides*, extra legs, 512
- Calosoma investigator*, extra antennæ, 523; *aeropunctatum*, double (?) leg, 548; double (?) antenna, *sycophanta*, *triste*, 550
- Cancer pagurus*, maxillipede developed as chela, 149, 150; extra parts of limbs, 527; variations in chelæ, 530—536
- CANIDÆ, digits, 401; mammæ, 189
teeth, 209—222; incisors, 210; canines, 210; premolars, 211; molars, 217
- CANIDÆ, teeth,
Canis antarcticus, 215; *azaræ*, 217; *cancrivorus*, 218; *corsac*, 214; *dingo*, 212, 215; *javanicus*, 209; *lagopus*, 220; *lateralis*, 212; *lupus*, 212, 213, 217, 220; *magellanicus*, 218; *mesomelas*, 212, 217; *occidentalis*, 214, 219; *pennsylvanicus*, 210; *primævus*, 209; *procyonoides*, 215, 220; *vetulus*, 217; *viverinus*, 212; *vulpes*, 210, 212, 213, 214, 219, 220; *zerda*, 220
vertebræ, 122; cervical rib, 122
- Canines, supernumerary, Tiger, 225; Ass, 245; divided in Dog, 211
- Capreolus*, horns, 286; union of horns, 460; polydactylism, 371, 379
- Caprimulgus*, brachial plexus, 131
- CARABUS, antenna, supposed cases of double, *auratus*, *cancellatus*, *catenulatus*, *emarginatus*, *extraratus*, *intricatus*, *italicus*, *sylvestris*, 550
antennæ, paired extra, *arvensis*, 523; *auronitens*, 522; *monilis*, 522; *sacheri*, 523
leg, supposed cases of double, *creutzeri*, 547; *helluo*, 547; *intricatus*, 545; *melancholicus*, 548; *nemorialis*, 547; *septemcarinatus*, 547
legs, extra in Secondary Symmetry, *auratus*, 511; *auronitens*, 511; *cancellatus*, 511; *catenulatus*, 512; *græcus*, 486; *granulatus*, 484; *irregularis*, 497; *italicus*, 512; *marginalis*, 484; *perforatus*, 484; *scheidleri*, 483
palpi, supposed cases of double, *auratus*, *purpurascens*, *splendens*, 552
pronotum, division of, *lotharingus*, 456; *scheidleri*, 455
- Carcinomata, multipolar cells in, 431
- Carcinus menas*, external segmentation of abdomen changed by parasites, 95; extra parts in limbs, 527, 531, 534
- Carnivora, teeth, 209; vertebræ, 122
- Carp, bulldog-headed, 57
- Cassowary, feathers partially without barbules, 55
- Castration, parasitic, of crabs, 95
- Cat, variation in colours of, 48
digits, 312, 313; polydactylism inherited, 323
spinal nerves, 138
teeth, 222
vertebræ, 122
- Caterpillars, segmental Repetition of pattern in, 25
- Catocala nupta*, colour-variation in hind wings, 44, 46

- Caudal fin, division of, in Gold-fishes, 451
- Cebidæ, teeth, 205
- Cebus, teeth, 205
- Cell-division, variations in, 430
- Centrosomes, variations in number of, 430
- Cephalotia, 458
- Cerambyx*, extra legs, 491; double (?) antenna, *cerdo*, *scopolii*, 551; extra antenna arising from head, *cerdo*, 551
- Cercocebus*, teeth, 204
- Cercopithecus*, teeth, 204; abnormality in, 204
- Ceroglossus valdiviæ*, extra legs, 500
- Cervical vertebrae, assumption of dorsal characters, Man, 107
- Cervus axis*, molar, 246
rufus, premolar, 246
dama, extra digits, 379
- Cestoda, variation in segmentation of, 168; bifurcation and other conditions allied to duplicity, 565
- Cestracion*, teeth, 261
- Cetonia*, extra legs, *opaca*, 488, *morio*, 512
- Chalcides*, digital variation in the genus, 395
- Chamois, extra horns, 286
- Charadrius*, brachial plexus, 130, 132
- Chelæ, extra parts in Secondary Symmetry, 528; amorphous cases, 538; duplicity of, 540
developed from third maxillipede in *Cancer*, 149
- Chelonia, axial duplicity, 563
- Cheraps preissii*, apparent presence of female openings in males, 155
- Chiasognathus grantii*, double (?) antenna, 551
- Chilognatha and Chilopoda, variation in segmentation of, 93
- Chirocephalus*, supernumerary horn to generative sac, 457
- Chimpanzee, vertebrae, 116
spinal nerves, 139
teeth, 202
- Chionobas*, eye-spots, 295
- Chironomus*, double head, 565
- Chirotopes*, 208
- Chitons, repetition of eyes in, 26; variation in colours of scutes, 307
- Chlænius nigricornis*, extra legs, 512; double (?) leg, *holosericus*, 546, *diffinis*, 548, *vestitus*, 548
- Chævocampa*, colours of larvæ, 304
- Cholæpus*, vertebrae, 118, 120; brachial plexus, 141
- Cholornis*, hallux absent, 397
- Chordata, segmentation of, 86
- Chroicocephalus*, brachial plexus, 130
- Chrysemys*, axial duplicity, 563
- Chrysomela*, division of pronotum, *fuscata*, 455
Chrysomela, extra legs, *banksii*, 494; *graminis*, 498
double (?) leg, *hæmoptera*, 547
double (?) antenna, *cacaliaæ*, 550
- Chub, bulldog-headed, 58
- Cicindela sylvatica*, double (?) antenna, 550
- Cidarites*, 4-rayed specimen, 441
- Cimbex axillaris*, antenna developed as foot, 146
- Cimoliasaurus*, imperfect division of vertebrae, 103
- Ciona intestinalis*, variation in number of stigmata, 172
- Cistudo*, digital variation in, 396
- Cladocera of salt lakes, 101
- Clausilia bidens*, extra eye, 280
- Clavatella*, variation in number of segments, 425; in number of eyes in each segment, 425
- Clupea pilchardus*, scales, 274
- Clythra quadripunctata*, extra legs, 508
- Clytus licitatus*, extra legs, 508; extra antennæ, *arcuatus*, 522, *tricolor*, 522; double (?) antenna, *arcuatus*, 551
- Coccinella decempunctata*, *bipunctata* and *septempunctata*, colour-variation, 49, 572
- Cochin fowls, "silky" variety, 55
- Cockroach, variation in number of tarsal joints, 63, 415
- Coelenterata, imperfect division, 566
- Colias*, colour-variation, 44; intermediates between *edusa* and *helice*, 44; varieties of *hyale*, 45
- Colobus*, teeth, 204
- Colour and Colour-patterns, variations in, 42, 288, 572
- Colour-variation, discontinuity of, perhaps chemical, 72; simultaneous, in segments, &c., 303
- Coluber*, double monster, 561
- Columba*, brachial plexus, 131, 134
- Colymbetes sturmi*, extra legs, 512; *adspersus*, double (?) leg, 548; *coriaceus*, double (?) antenna, 550
- Colymbus*, brachial plexus, 130
- Conepatus chilensis* and *mapurito*, teeth, 232
- Continuity, use of term as applied to Variation, 15; of differences in Environment, 5
- Copepoda, of salt lakes, 101
- Cordylophora lacustris*, polystomatous specimens, 566
- Correlation, between variations of nerves and vertebrae, 145; between Meristic and Substantive Variation, 126
- Corvus*, brachial plexus, 131
- Corymbites cupreus*, colour-variation, 43
- Counterparts, simultaneous variation of, 560

- Cow, variation in number of teats, 188
 Crab, extra parts of appendages, 527—536; variation in segmentation of abdomen, 95
Crateronyx, extra wing, 285
 Crayfish, variation in number of generative openings, 152; repetition of parts of chelæ, 529, 532, 537; extra parts in antennæ, 538
Cribrella, abnormal branching of an arm, 440
 Crinoids, radial joints, 421; variation in number of rays, 435; 4-rayed varieties, 436; 6-rayed varieties, 437; 3-rayed and 5-rayed varieties of a 4-rayed form, 437; variation in number of canals in stems, 438; abnormal branching, 438
Crista, division of embryos, 556
Crossarchus, teeth, 227—231; *zebra*, 230, 231
 Crustacea, theory of descent of Vertebrata from, 29; of salt lakes, 100; Secondary Symmetry in, 525; Homœosis in, 149
Cryptohypnus riparius, extra legs, 509
Cryptophagus scanicus, dentatus, double (?) antenna, 550
Ctenodrilus, double tail, 565
Cucumaria planici, with six radii, 433; double monster, 566
 aciculi, double monster, 566
Cuon, one lower molar absent, 209
Cupressocrinus, imperfect variation to 4-rayed state, 437; variation in number of canals in stalk, 438
 Curve of Frequency of Variations, 37, 64
 Cuvierian organs, variation in number of, 435
 Cyclopia, 458
Cygnus olor, cervical vertebræ, 33; colour-variation of young, 44; *atratus*, brachial plexus, 130
Cyllo leda, variability of ocelli, 289
Cynalurus, teeth, 222, 224
Cynocephalus porcarius, extra molar, 204
Cyprinus carpio, bulldog-headed varieties, 57; *hungaricus*, ditto, 58; *auratus*, division of fins, 451
 Cyprus, 4-horned sheep, 285
Cypsetus, brachial plexus, 131
Cystophora cristata, premolars, 238; molars, 243
 Dachshund, hallux in, 401; duplicity of hallux and pollex, 401
 Dactylopodites, extra, 528
Dactylopsila, premolars, 255
 Darwin's solution of problem of Species, 5; views on Reversion, 77; on sudden Variation in eye-spots, 289
 Dasyuridæ, incisors, 247
Dasyurus, incisors, 247; premolars, 255; molars, 256
Dasyurus, viverrinus, variation in molars, 256
 maculatus, molars, 256
Deilephila euphorbiæ, colours of larvæ, 305; *hippophæes*, 305
Dendarus hybridus, extra antennæ, 523
 Descent, Doctrine of, assumed to be true, 4
Diaptomus, colour-variation of eggs, 44
Dicotyles torquatus, incisors, 245
 Didelphyidæ, incisors, 246
Didelphys, teeth, 246, 258
 Digits, Variation of
 MAMMALS. *Capreolus*, 374; Cat, 313; *Cervus*, 379; Dogs, 401; *Erinaceus*, 397; *Elephas*, 397; Goat, 377; Herpestidæ, 346; Horse, 360; *Hylobates*, 346; *Macacus*, 340; Man, 324; Mule, 360, 370; Ox, 374, 383; Pig, 381, 387; Sheep, 373, 380
 BIRDS. *Anas*, 392; *Aquila*, 393; *Archibuteo*, 392; *Buteo*, 393; Fowl, 390; *Larus*, 393; Pheasant, 393; *Rissa*, 396; Turkey, 393
 REPTILES. *Chalcides*, 395; *Cistudo*, 396
 Reduction in number, Man, 355, 358; Artiodactyla, 383
 Union of, Ox, 383; Pig, 387; Man, 355
 Variation in, associated with other variations, 399
 Inheritance of Variation in, 398
 Recapitulation of evidence, 400
 Dimorphic condition, its relation to the monomorphic condition, 37
 Dimorphism in Spinal nerves, 138; in position of generative openings in *Pachydritus*, 165, 168; in secondary sexual characters, 38
Diopatra, abnormal repetition, 159
Discoidea (Echinid), 4-rayed specimen, 442
 Discontinuity of Species, 5
 in Variation, a possibility, 17; suggestion as to its nature, 68, 568
 in chemical processes, 16, 48, 72
 in colour-variation, 43, 48, 72; in colour-patterns, 48
 in states of matter, 16
 of Meristic Variation perhaps mechanical, 70
 of Substantive Variation perhaps in part chemical, 71
 in the Variation of spinal nerves, 145
 in the Variation of the generative organs of Annelids, 168

- Discontinuity in the Variation of digits, 407
 in Meristic Variation of Radial Series, 423
 partly dependent upon Symmetry, 568
- Discontinuous Variation, use of the term, 15
- Disease, analogy with Variation, 74
- Ditomus tricuspoidatus*, double (?) antenna, 550
- Division of organs, a process of reproduction, 193
 of teeth, 268; of mammæ, 193;
 of digits, 349, 369; of tentacles, 280; of radius of Echinid, 446; median, 454
- Dog, cervical rib, 122; hairless, 57; bulldog, 210, 221; digits, 401; nipples, 189
 teeth, 209—222; incisors, 210; canines, 211; premolars, 213, 215; molars, 220; deficiencies in Esquimaux, 215; in Inca, 216
- Dog-whelk, colour-variation, 48
- Domestication, variability falsely ascribed to, 266, 401
- Donacia bidens*, Variation in antennæ, 413
- Dorcadion rufipes*, extra legs, 512
- Dorking Fowl, digital variations, 390—395
- Dorcidaris papillata*, variation in pedicellariæ, 429
- Double-foot, Artiodactyles, 378; Frog, 540; *Macacus*, 340; Man, 337, 338
- Double-hand, 325, 331
- Double Monsters, 559
- Double-thumb, 349
- Dromæolus barnabita*, extra antennæ, 523
- Duck, no variation in number of digits recorded, 401; cases of absence of webs between toes, 401
- Duplicity of single members of series not distinct from other modes of addition, 193, 407
 of appendages, 406; in Arthropoda, 539; in Vertebrata, 539
 axial, 559
- Dutch pug, 57
- Dyschirius globulosus*, extra legs, 512
- Dytiscus marginalis*, extra legs, 512
- Eagle, extra digits, 393
- Ears, repetitions of, known as cervical auricles, 180
- Earthworms, variation of generative organs, 159; of segmentation, 157; asymmetrical arrangement of generative organs, 160, 161; table of arrangement of ovaries, 162; duplicity of head, 565, of tail, 565
- Earwig, variation of forceps, 40; of antennary joints, 413
- Echinoconus*, 4-rayed specimen, 441; alleged case of 3 rays, 441
- Echinodermata, Meristic Variation in, 432; variations of pedicellariæ, 429; duplicity,
 Echinoidea, Meristic Variation of, 441; 4-rayed specimens, 441; partial disappearance of a ray, 443; partial duplicity of a ray, 446; 6-rayed specimen, 445; pedicellariæ, 429; variation in number of genital pores, 446; symmetrical reduction of two rays, 443
- Echinus melo*, partial reduction of an ambulacrum, 443
- Echinus sphaera*, partial reduction of an interambulacrum, 445
- Ectrodactylism, Man, 355, 358
- Elatér murinus*, extra antennæ, 522; *variabilis*, extra leg, 547; *hirtus*, double (?) antenna, 551
- Eledone*, supernumerary hectocotylus, 473
- Eleodes pilosa*, double (?) antenna, 551
- Elephas*, tusks, 244; hoofs, 397
- Elytra, said to have been replaced by legs in *Prionus*, 148
- Embryology, as a method of investigating problems of Descent, 7
- Emperor moth, ocelli absent, 289, 301; colour-variations of larva, 306
- Emu fowls, 55
- Enchytraeidae, generative openings, 165
- Encrinus*, variation in number of radial joints, 421; 4-rayed calyces, 436; radius bearing only one arm, 438
- Enema pan*, extra legs, 512
- Entoniscians, alter segmentation of some crabs but not of all, 95
- Enhydria*, incisors, 211
- Epiglottis, division of, 451
- Epipodites, variation of in *Hippolyte*, 151
- Epistome (of Beetle), division of, 454
- Erebia blandina*, ocelli, 289
- Erinaceus*, variation in hallux, 397
- Eriphia spinifrons*, extra chelæ, 528
- Eros minutus*, extra legs, 487
- Esox lucius*, bulldog-headed, 58
- Esquimaux Dog, absence of first premolars, 214, 215, 221
- Euchloe*, pigments of, 72
- Eugeniocrinus*, 4-rayed specimens, 436
- Euprepia purpurea*, extra palpi (alleged), 524
- Eurycephalus maxillosus*, extra legs, 487
- Euscorpis*, double tail, 565
- Eye of *Palinurus* developed as antenna, 150
- Eye-colour of Man, 43
- Eye-spots, 288; Variation as a whole, 291; outer zones first to appear, 291; analogy with chemical phenomena,

- 292; in Linear Series, 288, 293; simultaneous Variation of, 293; correlated with variation of neuraction, 293, 301
- Arge*, 295; *Chionobas*, 295; *Hipparchia*, 294; *Satyrus*, 295; *Morpho*, 296; *Vanessa*, 299; *Junonia*, 299, 300; *Pararge*, 300; *Saturnia*, 301, 302; *Raiidæ*, 302; *Polyptectron*, 450
- Eyes of *Clavatella*, variation in number, 425
- Eyes of Molluscs, 279; of Insects, 280; union of, 458, 461
- Feathers, of "hairy" Moorhen, without barbules, 55
- FELIDÆ, digits, 313
- teeth, 223—226
- Felis brachyurus*, 224; *caligata*, 223; *caracal*, 224; *catus*, 224; *chaus*, 224; *chinnensis*, 224; *concolor*, 223; *domestica*, 223, 224, 225, 226; *eyra*, 223; *fontanieri*, 225, 226; *inconspicua*, 223; *jaquarondi*, 224; *javanensis*, 224; *jubata*, 224; *leo*, 226; *lynx*, 226; *maniculata*, 223; *manul*, 224; *minuta*, 223; *nebulosa*, 224; *onca*, 224; *pajeros*, 224; *pardalis*, 226; *pardus*, 223, 226; *tetraodon*, 223; *tigrina*, 226; *tigris*, 224, 225
- vertebræ, 122
- Feronia mihlfeldii*, extra legs, 485
- Fins, division of, in Gold-fish, 451
- Fishes, undifferentiated teeth in certain, 32; bulldog-headed, 57
- division of caudal fins, 451; scales, 274; flat-fishes, 466
- Fistulæ, cervical, 174; morphology of, 176; aural, 177
- in Man, 175; in Pig, 179; in Horse, 180; unknown in Sheep, Goats and Oxen, 180
- Flat-fishes, reversed varieties, 54, 466; "double" varieties, 466
- Fœnius tarsatorius*, extra legs, 491
- Foot, double, *Artiodactyla*, 378; Frog, 540; *Macacus*, 340; Man, 337, 338
- Foraminifera, duplicity, 566
- Forficula auricularia*, variation of forceps, 40; of antennary joints, 413
- Fowls, silky variety of, 55
- digital variation in, 390; ovary and oviduct, 465
- Frog, vertebræ, 124; extra legs, 554; double foot, 540; Secondary Symmetry, 554
- Fusus antiquus*, sinistral, 54
- Galerita africana*, extra legs, 495
- Galerites albogalerus*, 6-rayed specimen, 445
- subrotundus*, 4-rayed specimen, 441
- Galictis*, teeth, *barbara*, *vittata*, 232
- vertebræ, 123
- Gallinula chloropus*, hairy variety, 55; extra digits, 392
- Gallus*, brachial plexus, 130; digits, 390; oviduct, 465
- Garganey Teal, division of digits, 392
- Garrulus*, brachial plexus and ribs, 135
- Gasterosteus*, scales, 276
- Gavialis*, change in number of vertebræ, 123
- Gecinus*, brachial plexus, 131
- Generative openings, repetition of, in *Astacus*, 152; absence of, in *Astacus*, 152, 154; of Earthworms, 159; of *Hirudo*, 166
- Generative organs of Earthworms, variations in, 159; of Leeches, 165
- Genital pores, variation in number in Echini, 446
- Geophilus*, variation in number of segments, 94
- Geotrupes mutator*, extra legs, 500; *typhæus*, extra antennæ, 515
- Gill-slits, of Ascidians, 171; of *Myxine*, 172; of *Bdellostoma*, 173; of *Ammocetes*, 174; of Notidanidæ, 174; of *Balanoglossus* and *Amphioxus*, 174
- Glaucium luteum*, colour-variation, 47
- Gmelin's test for bile-salts, 292
- Goat, incisor, 245; horns, 286; digits, 377; cervical auricles, 180
- Gold-fish, simultaneous variation in length of tail and fins, 309; division of anal and caudal fins, 451; "Telescope," 453
- Gonepteryx rhamnii*, similarity of fore and hind wings, 25
- colour-variation, 45; nature of the yellow pigment, 48
- extra wing, 283
- Goose, brachial plexus, 133; pygomelian, 401
- Gorilla, vertebræ, 117; spinal nerves, 139; teeth, 202
- Goura*, brachial plexus, 130
- Grus*, brachial plexus, 130
- Guinea-hen, double-hallux, 392
- Guinea-pig, inversion of layers in, 9
- Gulo*, teeth, 231
- Hæmal spines, division of, in Gold-fishes, 453
- Hair, absence of, in Mouse, Horse, Shrew, 56; silky in Mouse, 55; excessive length in mane and tail of a horse, 309

- "Hairy" Moorhen, 55
Halichærus, vertebræ, 123; molars, 242, 243
Haliotis, extra row of perforations, 287; perforations occluded, 287; perforations confluent, 287
Halla, imperfect segmentation in, 156
Hallux, duplicity in Man, 349; Fowl, 390; variations in Kittiwake (*Rissa*), 396; *Erinaceus*, 397; Herpestidæ, 397, normally absent in certain birds, 396
Hammaticherus heros, double (?) antenna, 551
Hand, digital variations in, 324; double, 325, 331
 progressive series of Conditions, 324
Hapalidæ, teeth, 208
Harpalus, *rubripes*, extra legs, 493; *calceatus*, double (?) antenna, 550
Hawthorn, variation of, 569
Hectocotylus, supernumerary, in *Eledone*, 473
Helictis orientalis, teeth, 233, 234
Helix kermovani, extra eye, 280
 hispida, union of tentacles, 461
Heloderma, vertebræ, 123
Helops caruleus, extra antennæ, 523
 sulcipennis, extra palpi, 524
Hemiamster; cases in which one ambulacrum wanting, 445; two ambulacra reduced, 443; duplicity of ambulacra, 446
Hepialus humuli, males like females in Shetland, 254
Heptanchus, seven gills, 174
Heredity, objection to use of term, 75; in digital variation, 398
Hermaphroditism, 67; in bees, 68
Hermodyce carunculata, abnormal segmentation, 158
HERPESTIDÆ, hallux, 397
teeth, 227-231
 Herpestes galera, 229; *gracilis*, 227, 228, 229; *griseus*, 229; *ichneumon*, 229, 230, 231; *microcephalus*, 229; *nipalensis*, 227; *nyula*, 228; *persicus*, 227; *pulverulentus*, 228, 229; *smithii*, 228, 229
Herring, supposed hybrid with Pilchard, 275
Heterocephalus, a naked Rodent, 56
Heterogeneity, universal presence of in living things, 18
 symmetrically distributed around centres or axes, 19
Heterorhina nigratarsis, division of prototum, 455
Hexanchus, six gills, 174
Hipparchia tithonus, eye-spots, 293, 294
Hippocampus compared with *Phyllopteryx*, 309
Hippoglossus pinguis, 471
Hippolyte fabricii, variation in epipodites of legs, 151
Hirudinea, variation in generative organs, 165
 in colours, 304
Hirudo medicinalis, variation in number of testes, 165, 166
 officinalis, supernumerary penis, 166
Hister cadaverinus, extra legs, 512
Holopus rangi, 4-rayed specimen, 436
Holothurioidea, variation in number of radii, 433; variations in numbers of organs, 435; double monsters, 566
Homarus, repetition of parts in cheliped, 530; in chelæ, 531-538; colour variation, 44; hermaphrodite, 155
"Homodynamy," 133
Homœosis, use of the term, 85
 between vertebræ, 106-127; backward and forward, use of terms, 111; forward in vertebræ, 112; backward in vertebræ, 111; in spinal nerves, 144; of appendages in Arthropoda, 146; in segments of Annelids with respect to genital organs, 162, 163, 167, &c.; in teeth, 272; in bilateral asymmetry, 465; in parts of flowers, 111
Homology
 between members of Series of Repetitions, 30
 individual, not attributed if series is undifferentiated, 32; attempt to trace in mammæ, 191; discussed in the case of teeth, 269; in the case of digits, 351, 391, 371, 377; in the case of joints of tarsus of *Blatta*, 418; in the case of radii of Holothurioidea, 433
Horns, Sheep, 285; Goat, 286; Roebuck, 286, 460; Chamois, 286; of Roebuck united in middle line, 460
Horse, similarity of fore and hind legs, 25, 26
 naked variety, 56; teeth, 244, 245
 cervical fistulæ, 180
 simultaneous variation of mane and tail, 309
 extra digits, 360; by development of digit II, 361-367
 by development of digit IV, 367
 by development of digits II and IV, 368
 by division of digit III, 369
 by intermediate process, 371

- Hyas*, double chela, 540; double index, 541
- Hybrids, supposed, between Herring and Pilchard, 274; supposed, between Turbot and Brill, 468; supposed, in genus *Terias*, 52, 53
- Hydrobius fuscipes*, pronotum having three lobes, 454
- Hylobates*, vertebræ, 118; teeth, 204; *leuciscus*, extra digit, 346
- Hylotrupes bajulus*, extra legs, 494
- Hypsiprymnus*, teeth, 258
- Iceland, 4-horned sheep, 285
- Ichneumon luctatorius*, extra legs, 511
- Ichneumonidæ, extra legs, 491, 511
- Icticyon venaticus*, teeth, 220
- Ictonyx*, teeth, 233
- Images, relation of, the basis of Symmetry, 19
 between upper and lower jaws, 196, 267; between right and left sides, 88; in the case of the manus and pes, 404
 division and union of parts related as, 449
 principles of, followed in the structure and position of parts in Minor Symmetry, 479
- Inca Dogs, a bulldog found amongst, 57; variation of premolars and molars, 216, 222
- Incisors, supernumerary, *Gorilla*, 203; *Ateles*, 207; Canidæ, 210; Felidæ, 222; Herpestidæ, 227; Pecora, 245; *Dicotyles*, 245; Horse, 244
 division of, Canidæ, 210; *Elephas*, 244
 absence of, Canidæ, 211; Felidæ, 222; Herpestidæ, 227; Phocidæ, 235; Horse, 244
- Index of crabs and lobsters, peculiarity in repetition of, 557
- Individuality, attributed to members of Meristic Series, 31: such individuality not respected in Variation, 32; cases illustrating the absence of supposed individuality in Members of Meristic Series, 104, 115, 124, 191, 269, 407, 433; an unfortunate term, 556
- Jacamaralcyon tridactyla*, distinguished by absence of hallux, 396
- Jackal, vertebræ, 122; teeth, 217
- Japanese pug, probable independent origin of, 57
- Jaws, relation of upper to lower, 196
- Julodis æquinoctialis*, extra legs, 503; *clouei*, double (?) antenna, 551
- Julus terrestris*, mode of increase in number of segments, 93
- Kallima inachys*, colour-variation, 53
- Karyokinesis, symmetry in, 20; variations in, 430; bilaterally symmetrical variation of, in the segmentation of an egg, 464
- Kidney, supernumerary, 277; horse-shoe, 278, 459
- Kittiwake, variations in hallux, 396
- Lacination, simultaneous, of petals, 310
- Lady-birds, colour-variation, 49
- Lagorchestes*, teeth, 258
- Lagothrix*, teeth, 208
- Lamarck's solution of problem of Species, 4
- Lamellibranchs, sinistral, 54
- Lamia textor*, double (?) antenna, 551
- Larus leucopterus*, digits, 393
- Larvæ of Lepidoptera, variations in colours of, 304
- Leaf-butterfly, colour-variation, 53
- Leeches, variation in generative organs of, 165; in colours, 304
- Legs, extra, in Secondary Symmetry, general account, 475, cases in Insects, 483; in Position V, 483; in Position VAA, 485; in Position A, 487; in Position DA, 491; in Position D, 494; in Position DP, 496; Position P, 498; Position VP, 500. Unconformable cases, 503; miscellaneous cases, 511; in Crustacea, 526; in vertebrates, 554
 supposed double in Insects, 544
- Leopard, two cases of dental variation in a Chinese, 225, 226
- Lepidoptera, colour-variation of larvæ, 304; ocellar markings, 288; nature of yellow pigments, 73
- Leptura testacea*, double (?) leg, 545
- Leuciscus dobula*, bulldog-headed variety, 58
- Lichnanthe vulpina*, extra antennæ, 517
- Ligula*, absence of segmentation in, 168
- Limax*, union of tentacles, 460
- Limnitis populi*, extra wing, 283
- Limulus*, division of caudal spine, 450, 456
- Linaria*, many symmetrical variations of, 76
- Linckia multiflora*, fission, 433
- Linear Series, Meristic Variation in, 63; simultaneity in colour-variations of, 303
- Lissotriton*, supposed double limb, 539
- Lithobius*, number of segments, 93
- Lithodes arctica*, extra legs, 527
- Littorina rudis*, colour-variation, 49
- Littorina*, sp., extra eye, 280
- Lixus angustatus*, division of pronotum, 456
- Lizards, digital variation in, 395, 396
- Lobster, colour-variation, 44; hermaproditic, 155; variations in chelæ, 530—538

- Local Races, evidence as to, not a direct contribution to Study of Variation, 17
- Locusts, variation in colour of tibiae, 44
- Loligo*, variations in segmentation of egg, 463
- Lucanus cervus*, extra antennary branch, 2 cases, 549; extra branch on mandible, 2 cases, 552; *capreolus*, ditto, 552
- Luidia ciliaris*, variation of pedicellariæ, 429
- Lumbo-sacral plexus, 138
- Lumbriconereis*, imperfect segmentation, 156
- Lumbriculus*, double tail, 565
- Lumbricus*, undifferentiated segments in, 32; imperfect segmentation, 156; spiral segmentation, 157; repetition of ovaries, 160; asymmetrical arrangement of organs, 160, 161; variation of genital openings, 162; duplicity, 565
- agricola*, 162; *herculeus*, 160; *purpureus*, 160; *terrestris*, 156, 157; *turgidus*, 160
- Lupa dicantha*, extra index, 542
- Lurcher, teeth, 221
- Lutra*, teeth, 228, 233, 234, 235
- constancy of p^1 in *L. vulgaris*, 228
- Lycena icarus*, extra wing, 284
- Lycalopex* group of Foxes, frequency of extra molars in, 217
- Lychnis*, repetition of fimbriation in petals, 26
- Lycus*, double (?) antenna, 551
- Lynx*, teeth, 224
- Lysimachia*, Meristic variation in flower of, 61
- Lysiphlebus*, variation in number of antennary joints, 412
- Macacus cynomologus*, syndactylism, 356
- inuus*, spinal nerves, 137, 139
- teeth, 204
- radiatus*, doubtful extra molars, 204
- rhesus*, extra molar, 204
- Macroglossa*, colours of larvæ, 304, 305
- Macroglyphus nepalensis*, double (?) antenna, 551
- Macropodidæ, teeth, 259
- Macrorhinus leoninus*, teeth, 243
- Madreporites, repetition of, 440
- Maiia squinado*, extra index, 542
- Major Symmetry, 21, 87
- Malachius marginellus*, extra antennæ, 522
- Males, high and low, 39
- Mallodon*, double (?) leg, 547
- Mammæ, numerical Variation in, 181; along mammary lines, 181; in other positions, 186; in axilla, 185; below and internal to normal mammæ, 186; above and external, 185
- Mammæ, variation in Cow, 161; Dog, 189; Pig, 190; Man, 181; Apes, 188
- comment on facts, 191
- development of, 194
- Mammary extensions to axilla, 185
- lines, 181
- tumours, 185, 187
- Man, cervical fistulæ, 174; cervical auricles, 177
- digits, increase in number, 324; reduction in number, 355; polydactylism in general, 344; double-hand, 331; symmetry of manus and pes, 403
- kidneys, union of, 459; renal arteries, 277; ureters, 278
- mammæ, 181
- nerves, spinal, 135; brachial plexus, 135; notable variation in, 137, 113; lumbo-sacral plexus compared with that of Chimpanzee, etc., 138
- teeth, 198
- transposition of viscera, 559
- uterus, double, Darwin's comment on, 77
- vertebræ, Meristic and Homœotic variation in, 103, 106—116, 458
- Mandibles, supposed duplicity of, in *Lucanus*, 552
- Manus, variations in, compared with those of pes, 405; as a system of Minor Symmetry, 403
- Marsupialia, teeth, 246—258
- Mastiff, teeth, 210, 221; hallux permitted in, 401
- Maternal impressions and extra legs in a beetle, 512
- Maxillipe developed as a chela, 149, 150
- Median nerve, variations in composition of, 136
- Medicago*, repetition of brown spot in leaflets, 26
- Medusæ, Meristic Variation of, 423; duplicity in, 566
- Melanoplus packardii*, colour-variation, 44
- Meles*, teeth, 232, 233, 235
- Mellivora*, teeth, 233, 235
- Meloe coriaceus*, double (?) leg, 547; *proscarabæus*, extra legs, 488; *violaceus*, extra antennæ, 523
- Melolontha vulgaris*, division of pronotum (5 cases), 454
- division of pygidium, 456
- extra legs, 484, 512
- extra antennæ, 515, 520, 533, 550

- Melolontha vulgaris*, double (?) leg, 545
hippocastani, extra antennæ, 516, 557
- Mephitis*, teeth, 232
- Merism, 20; importance of, to Study of Variation, 23
 indirect bearing of, on the magnitude of Variations, 25
- Meristic Repetition, 20; kinship of parts so repeated, 26; similar Variation of parts in, 27, 310, 464; compared with asexual reproduction, 34
- Meristic Variation, distinguished from Substantive Variation, 22; compared with Homœotic Variation, 84
- Metacarpals, development of lateral, in Artiodactyla in correlation with syndactylism of metacarpals III and IV, 383
- Metameric Segmentation, not distinguishable from other forms of Repetition, 28; errors derived from such distinction, 30
- Metasternal plates, division of, 456
- Metazoa, comparison with Protozoa, 35
- Metrius contractus*, extra legs, 503
- Middle Line, division by images in, 404, 450; union of images in, 383, 458
- Minnow, bulldog-headed specimen, 58
- Minor Symmetry, 21, 88; Meristic Variation in, 311, 410; in manus and pes, 403
- Molars, supernumerary, *Simia*, 200; *Trogodytes*, 202; *Gorilla*, 203; *Cynocephalus*, 204; *Macacus*, 204; *Cebus*, 205; *Ateles*, 205; *Mycetes*, 207; Canidæ, 217, 220; Felidæ, 226; Herpestidæ, 230; Mustelidæ, 234; Phocidæ, 242; Ungulata, 245, 246; *Dasyurus*, 256; *Bettongia*, 258
 special frequency in Anthropoid Apes, 200; in *Lycalopex* group of Foxes, 217
 absent, *Simia*, 200; *Ateles*, 207; *Pithecia*, 208; Canidæ, 219, 221; Felidæ, 226; Herpestidæ, 231; Mustelidæ, 235; Phocidæ, 243; *Bettongia*, 258
 division of, *Canis cancrivorus*, 219; *Crossarchus*, 230
 Variation in form, *Crossarchus*, 231; *Dasyurus*, 256
 in *Icticyon* and *Otocyon*, 220
- Monkeys, Old World, teeth, 204; New World, 205
- Monodon*, development of right tusk, 465
- Monomorphism, 33
- Monotoma quadricollis*, double (?) antenna, 550
- Moorhen, hairy variety, 55; extra digits, 392
- Morpho*, eye-spots, 296—299
achilles, 297; *menelaus*, 298; *montezuma*, 297; *psyche*, 299; *sulkowskii*, 299
- Mouse, colour-variation, 44; with silky hair, 55; black variety, 55; naked, 56
- Mugil capito*, bulldog-headed, 58
- Mule, rarity of digital variation in, 360; case of, 370
- Mullet, bulldog-headed variety, 58
- Multipolar cells, 430
- Mustelidæ, teeth, 231, 235; premolars in *M. foina*, *martes*, *melanopus*, *zibellina*, 231
- Mycetes*, teeth, 207, 208
- Mycemic acid, relation to yellow colouring matters, 73
- Mydaus*, teeth, 232
- Myriapoda, variation in number of segments, 91, 93
- Myrmecobius*, incisors, 247, 248
- Myxine*, variations in number of gill-sacs, 172
- Nænia typica*, extra wing, 284
- Narcissus*, Substantive and Meristic Variation in, 23; colour-variation, 46
- Narwhal, development of tusks, 465
- Nasalis*, teeth, 204
- Natural Selection, chief objection to theory of, 5; misrepresentations of the theory, 80; difficulty in connexion with regeneration, 420
- Navosoma*, extra antennæ, 521
- Nebria*, double (?) antenna, 550; *gyllenhalli*, double (?) maxillary palp, 551
- Nectarine, discontinuous variation in, 59
- Nereis*, double tail, 564
- Nerves, spinal, Birds, 129—135; Man, 135; Apes, 138; Cat, 138; Dog, 140; Brady-podidæ, 141; *Pipa*, 141
 attempt to homologize, 32
 variations, 129—145
 correlation with vertebræ, 145
 relation to limbs, 143
- Neural canal, division of, 451
- Neuration of wings varying with eye-spots, 293
- Nigidius*, extra branch on antenna, 549
- Nipples, supernumerary, on normal breast, 184; on normal areola bifid, 184; on mammary lines, 186; in Pig, 190; in Dog, 189
- Notidanidæ, number of gills, 174
- Nuclei, multipolar division, 430, 464; precocious division, 464
- Nyctereutes procyonoides*, teeth, 215
- Nyctipithecus*, teeth, 208

- Ocellar markings, 288, 449
 Lepidoptera, 288; Raliidæ, 302; Birds, 449
- Odonto'abis stevensii*, extra antennæ, 518, 557
- Oligochæta, axial duplicity, 563; generative organs, 159; segmentation, 156
- Ommatophoca rossii*, premolars, 237
- Onitis bison*, division of pronotum, 455
- Operculum, double in *Buccinum*, 457
- Ophiacantha anomala*, normally 6 arms, not known to divide, 433
- Ophiactis*, fission, 433
- Ophibolus*, double monster, 561
- Ophidia, vertebræ, 103, 123
- Ophidiaster cribarius*, fission, 433
- Ophiocoma pumila*, young with 6 arms, adults with 5 arms, 433
- Ophiothela isidicola*, fission, 433
- Ophiuroidea, variation in number of arms, 447; fission, 433
- Opisthocornus*, brachial plexus, 130
- Orang, vertebræ, 118; spinal nerves, 139; teeth, 200; extra digit, 349; extra mamma, 188
- Organic Stability, 36
- Orthosia levis*, extra wing, 284
- Oryctes nasicornis*, division of pronotum, 455; extra legs, 512
- Osmoderma eremita*, double (?) leg, 547
- Otaria cinerea*, molars, 240
jubata, premolars, 240, 243
ursina, premolars, 239, 241
- Otocyon*, teeth, 220, 221
- Ouakaria*, teeth, 208
- Ovaries, variations in number and position in Earthworms, 160, 162 not always correlated with variations in oviducts, 167
- Ovary, right, developing in Fowl, 466
- Oviduct, right, case of, in Fowl, 466
- Oviducts of *Astacus*, variation in number, 152; in Earthworms, 167
- Ox, incisors, 245; molar, 246; polydactylism, 374-381; syndactylism, 384-387; syndactylism together with development of digits II or V, 385; with duplicity of II and V, 386; cervical auricles and fistulæ unknown, 180
- Pachydrilus sphagnetorum*, dimorphic in respect of position of generative openings, 165, 168
- Painted Lady butterfly, colour-variation, 49
- Palæornis torquatus*, colour-variation, 43
- Palamneus borneensis*, division of poison-spine, 457
- Palinurus penicillatus*, eye developed as antenna, 150
vulgaris, extra legs, 527; extra antennæ, 538
- Palloptera ustulata*, abnormal growth from thorax, 285
- Palpi, paired extra, in Insects, 524 supposed double, 551
- Pangenesia, 75
- "Panmixia," 573
- Papaver nudicaule*, colour-variation, 46; pigment of, 47, 72
- Paraquet, colour-variation, 43
- Pararge megæra*, eye-spots, 289, 300
- "Parhomology," 133
- Pariah dog, teeth, 221
- Parnassius*, ocelli, 292
- Parra*, feathers, 55
- Pasimachus punctulatus*, double (?) leg, 547
- Patella*, extra tentacle and eye, 279
- Pattern, universal presence of, in organisms, 19-21; difficulties arising from, 21
- Peach, discontinuous variation in, 59
- Peacock, ocelli, 449
- Peacock butterfly, repetition of eye-spots in, 26; variation of, 299
- Pecora, polydactylism, 373
- Pecten*, double eyes, 280
- Pedicellariæ, Meristic Variation of, 429
- Pelamis bicolor*, imperfect division of vertebræ, 105; axial duplicity, 561
- Pelecanus*, brachial plexus, 130
- Pelobates fuscus*, extra spiracle, 465
- Penis, supernumerary, in *Hirudo*, 166; in *Aulastoma*, 167
- Pentacrinus mülleri*, increase in number of radial joints, 4-rayed specimens, *dubius*, *dumortieri*, *jurensis*, *subsulcatus*, 436
 6-rayed specimens, *jurensis*, 437
- Penthina salicella*, extra wing, 285
- Peramelidæ, digits of pes, 313
- Perichæta*, variation in number of spermathecæ, 165; *forbesi*, *higendorfi*, 165
- Pericrocotus flammeus*, colour-variation, 46
- Perionyx*, generative organs, *excavatus*, 163, 167, 168
grünewaldi, 164
- Peripatus*, variation in number of segments, 84, 91, 94
- Petaurus*, premolars, 255
- PHALANGERIDÆ, incisors, 248; premolars, 248-255
- Phalanger maculatus*, incisors, 248; premolars, 253; females spotted in Waigiu, 254
orientalis, incisors, 248, 250; premolars, 250
ornatus, first premolar two-rooted as variation, 254
ursinus, first premolar normally two-rooted, 254

- Phalanges, reduction in number, 355
Phascologale dorsalis, teeth, 257
Pheasant, digits, 393
Philonthus succicola, double (?) leg, 548
ventralis, extra legs, 507
Phoca barbata, incisors, 235, 236
cristata, premolars, 238
granlandica, premolars, 238, 240, 242; molars, 243
vitulina, premolars, 238, 241, 242; molars, 242
Phœnicopterus, brachial plexus, 130
Phoxinus lævis, bulldog-headed, 58
Phratora vitellinae, colour-variation, 43
Phreoryctes, generative organs, 162
Phyllopertha horticola, extra antennæ, 514
Phyllophorus, tentacles not in multiples of five, 435
Phyllopteryx, compared with *Hippocampus*, 309
Physa acuta, tentacle bifid, 280
Picus viridis, colour-variation, 43; *medius*, brachial plexus, 131
Pieridæ, colours of, 73; eye-spots in, 292
Pig, digits, 381; syndactylism, 387; syndactylism with division of digit V, 389; cervical auricles, 179; cervical fistulæ, 180
Pigeon, cervical vertebræ, 33; brachial plexus, 134
Pigments, definite variations proper to certain, 43; nature of yellow, in Pieridæ, 48.
Pike, bulldog-headed, 58
Pilchard, variation in scales, 274; supposed hybrid with Herring, 275
Pilumnus, not altered by Entoniscians, 95
Pimelia interstitialis, extra legs, 498
scabrosa, extra antennæ, 523
Pinnipedia, Teeth, 235—243
Pipa, spinal nerves, 141
Pithecia, absent molar, 208
satanas, syndactylism in, 356
Pityophis, axial duplicity, 561
Plaice, symmetrical spotting of blind side, 467
Plant, compared to the body of Man, 29
Platycerus caraboides, extra legs, 507
Platyonychus, not altered by Entoniscians, 95
Platysomaticthys, 471
Pleuronectes, pigmentation of blind side, 467, 471
Plume moths, repetition of pattern in wings, 26
Pluteus, double, 35
Podargus, brachial plexus, 131
Pœclogale, 232
Pointer, teeth, 221
Polian vesicles, variation in number of, 434, 435
Pollex, duplicity in, Man, 349; Dogs, 401
Polyarthron, variation in number of antennary joints, 412
Polychæta, axial duplicity in, 564
Polydactylism, Cat, 312; Man, 324; *Macacus*, 340; *Hylobates*, 346; *Simia*, 349; irregular cases in Man, 353; Horse, 360—371; Artiodactyla, 373
Polydesmus, mode of increase in number of segments, 93
Polyodontophis, vertebræ, 123
Polyphylla decemlineata, extra antennæ, 518
Polyplectron, eye-spots, 449, 450
Polyzoa, division of embryos, 556
Poppy, Iceland, colour-variation, 46; Horned, colour-variation, 47
Porania, 4-rayed specimen, 440; irregular division of an arm, 440
Portunio, change in *Carcinus* produced by, 95
Portunus puber, extra parts on chela, 535; not altered by Entoniscians, 95
Potorous, teeth, 358
Premolars, nomenclature, 199
supernumerary, *Brachyteles*, 205; *Ateles*, 206; *Mycetes*, 208; Canidæ, 212—214; Felidæ, 225; Herpestidæ, 229; Mustelidæ, 231—234; Phocidæ, 237—242; *Cervus*, 246; Phalangeridæ, 248; *Phascologale*, 257
absence of, Canidæ, 214—216; Felidæ, 224; Herpestidæ, 229; Mustelidæ, 231—234; Phocidæ, 237—242
apparent division, *Brachyteles*, 205; Canidæ, 213; *Dasyurus*, 255; Phocidæ, 237
displacement and other variations, *Simia*, 201
PРЮНТУС, supposed development of elytra as legs, *coriarius*, 148
variation in number of antennary joints, *imbricornis*, 411, *fissicornis*, 412
extra legs, *coriarius*, 488, 512, *californicus*, 544, 557, *coriaceus*, 548
double (?) antenna, 551
double (?) legs, *californicus*, 544
Procœra, double tail, 564
Protozoa, supposed relation to Metazoa, 35; duplicity, 566
Pseudochirus, premolars, 250, 255; incisors, 248
Pterostichus, extra legs, *lucublandus*, 512; *mühlfeldii*, 485; *prevostii*, 512; double (?) antenna, *planipennis*, 550
Ptinus latro, extra legs, 512; extra antennæ, 522

- Puffinus*, brachial plexus, 130
 Pug, breeds of, 57; teeth, 221
Purpura lapillus, colour-variation, 48
Putorius, teeth, 231, 234
Pygæra anastomosis, extra wing, 284
 Pygidium, division of, in *Melolontha*, 456
 Pygomialian geese, 401
Pyrameis cardui, aberrations of, 49, 52;
 var. *kershawi*, 49, 52; var. *elymi*, 50, 51
Pyrodes speciosus, extra legs, 496
Python, imperfect division of vertebræ,
 103, 105
- Radial joints of Crinoids, 421
 Radial Series, Meristic Variation in, 60;
 evidence, 422; in Echinodermata, 432
 Radii, variations in number, Holo-
 thurioidea, 433; Crinoidea, 435; As-
 teroidea, 439; Echinoidea, 441; Ophi-
 uroidea, 433, 447
 Radius, absence of, 360
 Radulæ of *Buccinum*, 262
 Raiidæ, eye-spots, 302; extra fin, 540;
 division of fin into lobes, 540; separa-
 tion of fin from head, 540
Rana, vertebræ, 124, 126; double foot,
 540; spinal nerves, 142; extralimbs, 554
Ranzania bertolonii, extra legs, 510
 Raspberry, yellow variety, 47
 Red, variations of, 44—48; as variation
 from blue, 44
 Renal arteries, 277
 Repetition of Parts, association of these
 phenomena, 21
 Repetition, Linear, Bilateral or Radial,
 distinctions between, 88
 Units of, 556
 Reptilia, vertebræ, 103, 123
 Reversion, hypothesis made in order to
 escape recognition of Discontinuity in
 Variation, 76
Rhagium mordax, double (?) leg, 548
Rhea, brachial plexus, 130
 Rhinoptera, teeth, 259—261, *javanica*,
 261, *jussieui*, 259
Rhizocrinus, 6-rayed specimen, 437
Rhizotrogus, extra legs, *astivalis*, 510;
 castaneus, 512
 extra antennæ, *æquinoc-*
 tialis, 517
 division of metasternal
 plates, 456
Rhombus, pigmentation of blind side,
 467—471; *levis*, 467, 468,
 470; *maximus*, 467, 470
 variations in scales, 468
Rhynchites germanicus, double (?) an-
 tenna, 550
Rhyttirhinus, supposed case of extra
 eye, 281
 Ribs, division of, in Man, 105
 cervical, in Man, 108, 112, 115; in
 Dog, 122; Bradyopodæ, 119; on
 6th vertebra in Man, 108
- Ribs, variations in dorso-lumbar region,
 Man, 109—116; Anthropoid Apes,
 116—118; Bradyopodæ, 121;
Felis, 122; *Canis*, 123; *Galictis*,
 123; *Halichærus*, 123; eleven in
 Siamese Twins, 560
Rissa, variations of hallux in the genus,
 396, 397
 Roebuck, horns, 286; polydactylism,
 374, 379; union of horns, 460
Rubus idæus, colour-variation, 47
Rupicapra tragus, horns, 286
Rutela fasciata, extra legs, 512
- Sacculina*, effect of, on segmentation of
Carcinus and other Crabs, 95
 St Bernard dog, duplicity of hallux in,
 401
 Salinity, doubtful relation of variations
 of Crustacea to changes in, 100
Salmo fario, salar, trutta, 58
 Salmon, bulldog-headed variety, 58; axial
 duplicity, 563
Salmacina, double tail, 564
 Salt lakes, Crustacea of, 96, 100
Samia cecropia, extra wing, 283
 Sand-canal, repetition of, in *Asterias*,
 440
Saperda carcharias, extra antenna arising
 from head, 551
Sarcophilus, teeth, 255
Sarsia, Meristic Variation in, 424; with
 six segments, 424; with five segments,
 425
Saturnia carpini, repetition of eye-spots
 in wings, 26; extra wing, 282; varia-
 tion of eye-spots, 289, 301, 302;
 colours of larvæ, 306
Satyrus hyperanthus, eye-spots, 294
 Sawfly, extra legs, 502, 546
 Scales of Pilchard, 274; of *Gasterosteus*,
 276; of Snakes, 276
Scarites pyracmon, extra legs, 500
 Scheme, shewing the relations of parts in
 Secondary Symmetry, 481
Scelopendra, number of segments, 94
 Scorpion, double poison-spine, 457;
 double tail, 565
Scraptia fusca, extra antennæ, 523
 Seals, variations in dentition, 235
 Segmentation, metameric, not in kind
 distinct from other forms
 of Repetition, 28; two
 ways by which a full seg-
 mentation may have been
 achieved in phylogeny,
 86
 of Arthropoda, variation
 in, 91; imperfect in An-
 nelids, 156; spiral in
 Annelids, 157; variation
 of in Cestoda, 168, 170
 of mammæ, 191
 of ovum, variations in, 463

- Selachians, teeth in, 259
Semnopithecus, teeth, 204
Sepidium tuberculatum, double (?) antenna, 551
Sex, analogy with Discontinuous Variation, 66
Sexual characters, statistics as to, in
 Beetles, 38; Earwigs, 40
 of *Hepialus* in Shetland, 254
 of *Phalanger* in Waigiou, 254
Sheep, cervical auricles, 180; incisors, 245; change in form of canines, 245; molar, 246; extra horns, 285; polydactylism, 373, 380
Sheep-dog, teeth, 221
Shetland, variety of *Hepialus* in, 254
Shrew, naked variety, 56
Siamese Twins, 560
Siberia, Crustacea of salt lakes, 97, 100
Silis ruficollis, extra legs, 498
Silky fowls, 56
Silpha nigrita, extra legs, 501; *granulata*, double (?) leg, 548
Silurus, extra fin, 540
Simia, vertebræ, 118; teeth, 200; extra digit, 349; extra mamma, 188
Simultaneity of Variation, possibilities of, 25, 26, 308; in fore and hind wings of Lepidoptera, 293; in counterparts, 569; in colours of segments of Lepidopterous larvæ, 303; in Chiton idæ, 307; in limbs, 402; in homologous twins, 559; in radial segments, 423; not clearly distinguishable from Symmetry, 569
Sinistral varieties, 54
Situs transversus, 465, 560
Sledge-dog, absence of first premolar, 215; division of premolar, 214
Smerinthus, colours of larvæ, *ocellatus*, *populi*, *tiliæ*, 306, 307
Snakes, vertebræ, 103, 123; axial duplicity, 561
Solea, pigmentation of blind side, 471
Solenophorus strepens, double (?) antenna, 551
Sorex, naked variety, 56
Spaniel, teeth, 221
Species, the problem of, 2. Methods of attacking, 6
 Discontinuity of, a fact, 2
Specific Differences, indefinite, 2
Spermatheca of Earthworms, variation in number, &c. of, 160, 165
Sphaerocrinus, imperfect variation to 6-rayed state, 437
Sphingidæ, repetition of markings in larvæ of, 26; variation in, 304
Sphinx ligustri, division of proboscis, 456
Spinal nerves, 129; Birds, 130; Man, 135; Primates, 138; Brachyopodidæ, 141; *Pipa*, 141; *Rana*, 142
 dimorphism in respect of, 138; distribution to limbs, 143; Homæosis, 144; recapitulation, 144
Spinal nerves, principles of distribution, 143
Spiracle, extra in tadpole of *Pelobates*, 465
Stability, Organic, 36
Starfishes, theory of origin of repetition in, 29; variations in number of rays, 439; multiplication by fission, 433
Stentor, duplicity, 566
Stichopus, arrangement of tube-feet changes with age, 435
Stickleback, variation in number of bony plates, 276
Stomobranchium octocostatum, variety having tentacles in double series, 425
Strangalia, double (?) antenna, *atra*, 551, *calcarata*, 551
Strategus antæus, extra legs, 512
Struthio, brachial plexus, 130
Styela, variations in branchial sac, 172
Submarginula, extra eye, 279
Substantive Variation, distinguished from Meristic, 23; correlated with Meristic in vertebræ, 125
 in size, 38, 40; in colour, 43—43; in colour-patterns, 48—54; miscellaneous, 54—60
Swan, cervical vertebræ, 33; colour-variation of young, 44; brachial plexus, 130
Symmelian "monster," 459
Symmetry, the conception of, 19, 569
 a relation between optical images, 19
 almost universal presence of in living organisms, 21
 of mammae, 191
 in dental Variation, 267
 in digital Variation, Man, 324, 402; Cat, 314; in manus and pes, 403
 in nuclear division, 430;
 in variations in segmentation of ovum, 463
 in variations of homologous twins, 559, 560
 in double monstrosity, 559
 Bilateral, characters of, 88; as appearing in variations of flat-fishes, 467
 Major and Minor, 21, 86
 Primary and Secondary, 90
 Radial, characters of, 89

- Symmetry, Secondary, preliminary account, 475; principles, 479
 Scheme of relations of parts in, 481; parts repeated in, *geometrically* peripheral to points of origin, 557; relation to Primary, 556, 557
 in Insects, 475; Crustacea, 525; Vertebrates, 553; Batrachia, 554; Triton, 555
- Syndactylism, Man, 355, 356; *Pithecia*, 356; *Macacus*, 356; Ox, 384—387; Pig, 387—390
- Tadpole, extra spiracle in, 465
- Tenia canurus*, transposition of generative organs, 170; case of six suckers and segments prismatic, 565
elliptica, asymmetrical arrangement of genital pores, 170
saginata, "intercalated" segments, 169; repetition of generative organs in proglottides, 169; two genital pores at the same level, 170; consecutive genital pores on same side, 170; bifurcation of chain, 566
solium, changes in position and alternate arrangement of genital pores, 170
tenuicollis, bifurcation of chain, 566
- Tail-fin, division of, in Gold-fish, 451
- Tail-spine, division of, *Limulus*, 456; Scorpion, 457
- Tapeworms, variations, 168—170; duplicity in, 565
- Tarsus, in some beetles with only four joints appearing, 25; variation in number of joints, *Blatta*, 63, 415; various numbers of joints in families of Orthoptera, 415
- Taurhina nireus*, extra legs, 509
- Taxidea*, teeth, 233
- Taxus baccata*, colour-variation, 47
- Teal, Garganey, division of digits, 392
- Teeth, in undifferentiated series not credited with individuality, 32
 numerical Variation, 195; division of, 268; duplicate, 268; statistics of Variation, 200, 209, 222, 235
 relation of upper to lower, 196
 of Primates, 199—208; Canidæ, 209—222; Felidæ, 223—226; Viverridæ, 227—231; Mustelidæ, 231—235; Pinnipedia, 235—243; Ungulata, 243—246; Marsupialia, 246—258; Selachians, 259—262; *Buccinum*, 262
- Teeth, terminal, least size of, 270; presence and absence of, 269; Homœotic Variation in, 272
 Recapitulation, 265
- Telephorus*, colour-variation, *lividus*, 43
 division of pronotum, *nigricans*, 455
 double (?) antenna, *lividus*, *rotundicollis*, 551
 double (?) leg, *excavatus*, *fuscus*, 548
 extra legs, *rusticus*, 502
- "Telescope" Gold-fish, 453
- Tellina*, sinistral variety, 54
- Tenebrio granarius*, double (?) leg, 548
- Tentacles of Molluscs united, *Helix hispida*, 461; *Limax agrestis*, 460
 repeated, *Patella vulgata*, 279
 bifid, *Physa acuta*, 280
 of Holothurians, 435
- Tenthredo solitaria*, extra legs, 502
ignobilis, extra leg, 546
- Terias*, colour-variation, 52, 53; *anemone*, *hecabe*, *mandarina*, *mariesii*, 52; *betheseba*, *constantia*, *jaegeri*, 53
- Terminal members of Series, variation of, 79, 269, 271, 272, 407
 teeth, 269, 272; digits, 407
- Terrier, absence of premolar, 215
- Testes, variation in number in *Hirudo*, 165, 166
- Tetraceros*, horns not as in 4-horned Sheep, 285
- Tetracrinus*, normally 4-rayed, 5-rayed and 3-rayed varieties, 437
- Tetrops prænata*, double (?) leg, 545
- Thoracopagous twins, transposition in, 560
- Thumb, variation in number of phalanges, 324
 double, 349
- Thylacinus*, teeth, 255
- Thylacites pilosus*, double (?) antenna, 550
- Thyonidium*, variation in number of organs, 435
- Tiarops polydiademata*, specific character of, 426
- Timarcha tenebricosa*, extra antennæ, 522
- Tomato, colour-variation, 47
- Tonicia*, variation in colour of scutes, 308
- Tongue, division of, 451
- Toxotus*, extra eye, 280
- Transposition of viscera, 560
- Triasters, symmetry of, 430; found in bilaterally symmetrical areas of segmenting ovum, 464
- Trichodes syriacus*, double (?) leg, 547
- Trichosurus vulpecula*, premolars, 254

- Triænophorus*, segmentation of, 168
Triopa clavigera, rhinophore trifold, 280
Triton, legs repeated, 555
Troglodytes, vertebræ, 116; teeth, 202
Tropidonotus, vertebræ, 123; scales, 276
 Trout, bulldog-headed, 58, 59; axial duplicity, 563
 Tulip, Meristic Variation in, 60
 Turbot, pigmentation of lower side, 467, 470
Turdus, brachial plexus, 131
 Turkey, digits, 393
 Twins, homologous, 559; Simultaneous Variation of, as a case of Bilateral Symmetry, 559
 Siamese, peculiarities of, 560; thoracopagous, 560
 in Echinoderms and in Amphioxus, 35
Typosyllis, double head, 564
Uca una, extra parts in chela, 530
 Ulna, a second, 331
 Ulnar nerve, variations in composition of, 136; a second, 333
Ungulata, teeth, 243; digits, 360—390, 397
 Union, median, 458; of horns of Roebuck, 460; of eyes of Bee, 461; of kidneys, 459; of tentacles of *Limax*, 460; of tentacles of *Helix*, 461; of posterior limbs of Vertebrates, 459; of digits in Ox, 383, 386; of digits in Pig, 387—390
 Units, of Repetition, 556
Uraetos, brachial plexus, 131
 Ureters, supernumerary, 278
 "Useless" parts, supposed variability of, 78
 Uterus, double, Darwin's comment on, 77; is a case of median division, 451
 Utility, fallacies of reasoning from, 12
 Uvula, division of, 451
Vanessa atalanta, colour-variation, 46
 urtica, extra wing, 283
 io, eye-spots, 299, 300
 Variation, defined, 3
 the Study of, as a method of attacking the problem of Species, 6
 Continuous and Discontinuous, 15
 Meristic and Substantive, distinguished, 23, 24
 magnitude of integral steps affected by Merism, 25
 about a Mean form, 37
 perfection in, 60, 64
 causes of, 78
 Homœotic, 85, in vertebræ, 106; in Arthropoda, 146; in teeth, 272
 Simultaneity of, in repeated parts, 303, 402, 425, 464
 Variations, minimal, questionable utility of, 16
 Vertebræ, Meristic Variation in, 102
 imperfect division, 103, 458
 Homœotic Variation, 106
 reduction in numbers, Man, 111
 numerical variation, 102
 Man, 103, 106—116; Anthropoid Apes, 116; Bradypodidæ, 118; Carnivora, 122; Reptilia, 123; Batrachia, 124; features of Variation recapitulated, 127; correlation with spinal nerves, 113, 115, 139, 145
Vesperus luridus, extra eye, 280
Veronica burbaumii, numerous symmetrical variations in, 76; illustrating variations of Bilateral Series, 448
 Viverridæ, teeth, 227—231
 Waigiü, female *Phalanger maculatus* coloured like male in island of, 254
 Wall butterfly, variation in ocelli and neurulation, 300
 Water-pore, extra, in *Bipinnaria*, 466
 Webs, between toes of Duck, absent, 401
 Weevils, four visible joints in tarsus, 25
 Wing, supposed to replace a leg in *Zygæna*, 148
 Wings, supernumerary in Insects, 281
 fore and hind, varying simultaneously in Lepidoptera, 293
 quills of, varying with quills of tail in Pigeons, 309
 Woodpecker, Green, colour-variation, 43
Xantho punctulatus, duplicity of index, 542
 Xiphopagous twins, transposition of viscera in, 560
Xylotrapes gideon, variation of horns in, 38
 Yellow, variations of, 43—48, 73
 Yew, yellow-berried, 47
Zalophus californianus, molars, 243
 lobatus, premolars, 238, 242; molars, 243
 Zebra, repetition of stripes in, 26
Zeugopterus, white varieties, 467; variation in dorsal fin, 471
Zonabris quadripunctata, double (?) antenna, 551
Zonites pravusta, extra antennæ, 522
Zygæna filipendulæ, colour variation, 46
 supernumerary wing, 148
 minos, colours, 46; extra wing, 284

INDEX OF PERSONS.

- Acton, 286
 Adolphi, 124, 127, 142
 Agassiz, A., 469
 Agassiz, L., 396, 424
 Ahlfeld, 340, 354, 451, 458
 Albrecht, 105, 540
 Aldrovandi, 344
 Allen, J. A., 243
 Alston, 286
 Ammon, 348, 349
 Anderson, 399
 Andrews, 563, 564
 Annandale, 327, 345, 346, 350-352, 355-358
 Appellöf, 473
 Arloing, 363, 370
 Ascherson, 174
 Ashmead, 413
 Asmuss, 484, 500
 Asper, 167
 Assheton, 152
 Audouin, 512
 Auld, 390
 Austin, 436
 Auvard, 349
 Auzoux, 203
- Babington, 47
 Bacon, 29, 146
 Baird, 223, 232
 Balbiani, 566
 Balding, 305
 Balkwill, 566
 Ballantyne, 334
 Bancroft, 561
 Barbour, 563
 Bardeleben, 183
 Barr, P., 46
 Barrier, 384, 388
 Bartels, 187
 Barth, 187
 Bartlett, 216
 Bassi, 512, 548, 551
 Baster, 453
 Bateson, Miss A., 77, 468
 Bather, 436
 Baudi, 456, 512, 551
 Baudon, 54
 Baum, 401
 Baumüller, 374
 Baur, 103, 105, 123, 124
 Beddard, 159, 162, 163, 165
- Bedriaga, 127
 Bell, F. J., 443, 564, 565
 Bellamy, 113
 Belt, 56, 57
 Beneden, van, 531
 Benham, 152, 159, 161, 565
 Béranger, 347
 Bergendal, 555
 Bergh, 160
 Bernhardus à Berniz, 538
 Betta, de, 43
 Bibron, 563
 Bicknell, 45
 Billardon de Sauvigny, 454
 Billott, 399
 Birkett, 178
 Birnbaum, 350
 Blackmore, 523
 Blainville, de, 118, 119, 205, 224
 Blanchard, 187
 Blanford, W. T., 398
 Blasius, 354
 Bles, 440
 Bleuse, 482, 508
 Boas, 369, 383, 385
 Boettger, 561
 Boisduval, 45
 Bolau, 349
 Bond, 301
 Bonnier, 95
 Böttcher, 560
 Boulard, 512
 Boulenger, 123, 276, 277, 395, 396, 465
 Boulian, 351
 Bourne, A. G. 125, 127
 Boyd-Campbell, 399
 Bramson, 52
 Brandt, 466
 Bredin, 368
 Breese, 565
 Brenner, 360
 Brindley, 38, 39, 63, 280, 416
 Brisout de Barneville, 416
 Brooks, 466
 Broome, 565
 Bruce, 181, 185
 Brulerie, de la, 280
 Bruner, 44
 Brunette, 564
 Brunner von Wattenwyl, 41, 413, 416
 Buchanan, Miss F., 156, 157
 Buckler, 304, 305, 307

- Buffon, 286, 398
 Bull, 340
 Bülow, von, 565
 Buquet, 551
 Bureau, 540
 Burmeister, 123, 232
 Busch, 198, 345
 Butler, A. G., 52, 53

 Camerano, 127, 546, 555
 Cameron, 185
 Canestrini, 58
 Cantoni, 537
 Carlet, 59
 Carpenter, P. H., 421, 422, 436-438
 Carré, 339
 Cassebohm, 178
 Cauroi, du, 344, 354
 Cavanna, 539, 555
 Cazeaux, 185
 Champneys, 139, 185
 Chapman, J., 244
 Charcot, 184
 Chavignerie, de la, 455, 547
 Chworostansky, 165
 Claparède, 425, 564
 Clark, J. A., 51
 Clark, J. W., 465
 Clarke, E., 397
 Claus, 80, 100
 Cleland, 401
 Coale, 393
 Cobbold, 566
 Cockerell, 44
 Cocks, 55
 Colin, 169
 Collin, 563, 565
 Cooke, A. H., 262, 263
 Coquillet, 413
 Cori, 156, 157, 158
 Cornevin, 363
 Cornish, 150
 Cotteau, 446
 Couch, 440, 470, 471
 Coues, 232, 390
 Cowper, 391, 393
 Cramer, 346
 Cuénot, 429, 433, 441
 Cunningham, 320, 467
 Curtis, 547
 Cusset, 176

 Daintree, 376
 Dale, 482, 547
 Daresté, 458
 Darwin, C., 1, 5, 13, 56, 57, 59, 77, 121,
 288, 449
 Davidoff, 566
 Dawson, 566
 Day, 275, 276, 302, 467, 540
 Delplanque, 354, 370, 377, 379
 Démidoff, 468
 Dendy, 438
 Desmarest, 152

 Devay, 399
 Dimmock, 543
 Dobson, 397
 Dohrn, 86
 Donceel, de, 51
 Dönitz, 212, 217, 220, 246, 445
 Donovan, 302, 471
 Dorner, 561
 Doué, 456
 Doumerc, 512, 550
 Drechsel, 455
 Drew, 381
 Driesch, 35
 Dubois, 330
 Duhamel du Monceau, 470, 471
 Duménil, 554, 563
 Dunn, 374
 Duns, 528
 Duponchel, 456
 Dusseau, 352, 355
 Duval, 184
 Dwight, 325, 334

 Ébrard, 166, 304
 Eck, 437
 Edward, T., 43, 174, 563
 Ehrenberg, 425, 426, 428
 Eichwald, 560
 Ekstein, 339
 Ekström, 471
 Elwes, 45
 Engramelle, 46
 Ercolani, 369, 377, 380, 381, 392, 393,
 540, 554, 555
 Eudes-Deslongchamps, 180

 Fackenheim, 345, 351, 352, 399
 Failla-Tedaldi, 295
 Fairmaire, 454
 Farge, 327, 399
 Fauvel, 44, 494, 508, 523
 Faxon, 152, 530, 532, 533, 536, 537,
 541, 542, 557
 Field, 466
 Filippi, 425
 Fischer, 41
 Fischer, G., 174
 Fischer, P., 54, 279, 566
 Fischer de Waldheim, 97
 Fisher, W. R., 392
 Fitch, 565
 Fitch, E. A., 44
 Fitzinger, 200
 Flemming, 430
 Flemyng, 307
 Fleutiaux, 548
 Flower, W. H., 106, 119, 217, 220, 233
 Forbes, E., 54, 425, 460
 Forbes, W. A., 356
 Forgue, 143
 Forskål, 540
 Forsyth, 398
 Fort, 344, 356, 358
 Foster, 565

- Fotherby, 360, 399
 Franck, 368
 French, 451
 Freund, 459
 Freyer, 524
 Fricken, von, 512
 Friedlowsky, 244, 356
 Friele, 262, 264
 Friend, 563, 565
 Fries, 471
 Frivaldsky, 500
 Froriep, 354
 Fumagalli, 336
 Fürbringer, 131, 133, 135, 142
 Fürst, 399

 Gadeau de Kerville, 415, 455, 482, 510,
 548, 549
 Gaillard, 346, 350
 Galton, F., 36, 40, 43, 418, 419
 Garrod, 390
 Gaskell, 86
 Gaskoin, 56
 Gauthier, 443, 445—447
 Gebhard, 459
 Gegenbaur, 77
 Geissendörfer, 360
 Gené, J., 127
 Geoffroy St Hilaire, I., 57, 205, 330,
 368, 377, 379, 383, 392, 451, 459, 563
 Gercke, 285
 Gervais, 203
 Gherini, 337
 Giard, 95, 440, 468, 482, 545
 Gibbons, Sir J., 44
 Gibson, 166
 Giebel, 234
 Gifford, 44
 Giraldès, 336
 Girard, 305
 Godman, 53, 297
 Godwin-Austen, 286
 Goldfuss, 436, 437
 Goodman, 376
 Goossens, 300
 Gordon, 56
 Gorré, 187
 Gosse, 566
 Gosselin, Mrs, 44
 Götte, 127
 Gottsche, 466, 471
 Goubaux, 180, 244, 245
 Grandélément, 355
 Grandin, 340
 Gray, J. E., 56, 242, 287, 396
 Gredler, 286, 511, 512, 550, 551
 Green, 515
 Grobben, 169
 Gruber, W., 108, 111, 119, 122, 330, 345,
 346, 350, 352, 354, 359, 360
 Guerdan, 458
 Guermonprez, 327
 Günther, 173, 174, 260, 309, 468
 Gurlt, 368

 Gurney, J. H., 43, 55, 392
 Guyon, 566
 Guyot-Daubès, 360

 Haacke, 443, 446
 Hagen, 148
 Hagenbach, 352
 Hammond, 305
 Hanley, 460
 Hannæus, 184
 Harker, A., 419
 Harker, J., 354, 399
 Harmer, 440, 556
 Harrington, 482, 491, 500
 Harrison, 211
 Hartung, 187
 Harvey, 178
 Haworth, 45
 Heineken, 526
 Helbig, 187
 Heller, 170
 Henneguy, 430
 Hennig, 349
 Hensel, 203, 209, 212—216, 220, 223,
 226, 232, 244, 246, 269
 Herdman, 171, 172, 439, 456
 Herklots, 527, 528, 529, 542
 Heron, Sir R., 453
 Héron-Royer, 465, 555, 561
 Herrich-Schäffer, 51
 Herringham, 137, 138
 Hertwig, O., 431
 Heuglin, von, 234, 235
 Heusinger, 174, 179
 Hewett, 55
 Heyden, H. von, 488, 512, 548
 Heyden, L. von, 484, 487—490, 494,
 517, 523, 550, 551
 Heynold, 355
 Higgins, 471
 Hill, 391
 Hincks, 425
 His, 177
 Hodgson, 209, 398
 Hoeven, van der, 218
 Hoffmeister, 162
 Honrath, 284
 Hopkins, 48, 73
 Horn, 411
 Horst, 565
 Howes, 126, 153, 210, 391, 421, 515
 Hübner, 305
 Hudson, 56
 Hügel, Baron A. von, 39
 Humphreys, 221
 Humphreys, H. N., 301
 Humphry, 200
 Huxley, 217, 218, 219

 Imhoff, 547

 Jäckel, 393
 Jackson, 331
 Jacquelin-Duval, 524

- Jaeger, G., 536
 Janson, 482, 491
 Jayne, 503, 512, 518, 524, 544, 547, 548, 550, 551
 Jeffreys, G., 54, 457
 Jekyll, Miss, 46
 Jentink, 248, 252, 253
 Jhering, von, 140, 142, 360
 Johnson, Athol, 354
 Jolly, 337
 Joly, 370, 372
 Joseph, 350

 Károli, 532
 Kawall, 551
 Kerckring, 344
 Kiesenwetter, von, 281
 Kingsley, 539, 554
 Kirk, 565
 Kitt, 363, 383, 384, 386, 390
 Kleyn, 453
 Klingelhofer, 547, 551
 Klob, 187
 Koenen, von, 436
 Kolbe, 484, 503
 Kölliker, 142
 Kostanecki, von, 175
 Kraatz, 146, 454, 456, 484, 485, 494, 498, 502, 506, 509—511, 515, 516, 523, 545, 547, 548, 550, 551, 552
 Krause, 455, 548
 Kriechbaumer, 147
 Krohn, 425
 Kröyer, 151
 Küchenmeister, 560
 Kuhnt, 339

 Laboulbène, 512
 Lacaze-Duthiers, 171
 Lacépède, 540, 561
 Lafosse, 244
 Lamarck, 4
 Lambert, 446
 Lampert, 435
 Landois, 58, 383, 387, 511, 555
 Lane, 113
 Lang, 566
 Langalli, 336
 Langerhans, 564
 Lankester, 536
 Lannegrace, 143
 Lanzoni, 561
 Lataste, 127
 Laurent, 184
 Lavocat, 354, 372
 Le Clerc, 357
 Leech, J. H., 46
 Lefévre, 500
 Le Gendre, 184
 Léger, 527, 538
 Legge, 46
 Leichtenstern, 181—185
 Lereboullet, 515
 Le Sénéchal, 530, 535, 542

 Letzner, 280, 523, 550
 Leuckart, 168—170, 566
 Levacher, 566
 Leveling, 458
 Lidth de Jende, van, 58
 Linnæus, 453
 Lisfranc, 355
 Lister, 218, 457
 Loriol, P. de, 436, 437, 438
 Loudon, 47
 Lucas, 399
 Lucas, H., 462, 536, 542, 550, 551
 Ludwig, H., 433, 566
 Lunel, 58, 554
 Lütken, 433
 Lydekker, 105, 217, 233

 Macalister, A., 112, 278
 MacAndrew, 54
 MacBride, 440
 McCoy, 52
 McIntosh, 470, 564
 Maggi, 530
 Magitot, 198, 203, 205, 210, 221, 244, 245, 270
 Malm, 469
 Manifold, 451
 Mantell, 436
 Marjolin, 355
 Marsh, 349
 Marsh, C. D., 565
 Marsh, O. C., 364, 366, 368
 Marshall, 86
 Martens, von, 155
 Martin, 430
 Mason, 282, 488, 498, 509, 548, 550
 Mason, F., 355
 Masters, 60, 84, 310
 Mayer, 200
 Mazza, 555
 Meckel, 278, 346, 458, 459
 Melde, 355
 Meldola, 284
 Meyer, A. B., 441, 445
 Michaelsen, 162, 164, 165
 Mielecki, von, 175
 Milne-Edwards, 151, 202, 527
 Mitchell, 561, 563
 Mivart, 212, 217, 219
 Möbius, 401
 Mocquerys, 455, 487, 488, 494, 496, 498, 501, 503, 507, 508, 512, 515, 517, 522, 545—548, 550—552
 Mojsisovics, 367
 Moniez, 169, 566
 Moquin-Tandon, 280, 304
 Morand, 346, 348, 354, 399
 Moreau, 540
 Morgan, T. H., 157, 466
 Morot, 245, 384
 Morris, F. O., 44, 401
 Mortillet, de, 186
 Mosley, S. L., 45, 300
 Muir, 352, 399

- Müller, A., 512
 Müller, J., 173
 Murray, 336
- Nathusius, H. von, 285, 373, 374
 Nehring, 57, 123, 210, 212, 216, 221, 235, 242
 Neill, 540
 Neugebauer, 183, 186
 Neuhöfer, 176
 Newman, 51, 295, 300
 Newport, 94
 Newton, A., 44, 55
 Nicholls, 155
 Nilsson, 471
 Norman, 100, 457
 Notta, 185
- Oberteufer, 330
 Oberthür, 44
 Ochsenheimer, 46, 284, 302
 Odin, 459
 Olliff, 51, 52
 Otto, 58, 278, 346, 348, 350, 354, 356, 458
 Otto, H., 547, 548
 Owen, 119, 188, 211, 261
- Packard, 100, 457
 Paget, Sir J., 175, 177
 Pallas, 180
 Parry, 520
 Partsch, 451
 Paullinus, 184, 187
 Pavesi, 565
 Pelseeneer, 280
 Pennetier, 482
 Percy, 184, 187
 Perroud, 512
 Perty, 512, 548, 550, 551
 Peters, 200, 277
 Philippi, 443
 Pichancourt, 460
 Pocock, 93, 457, 565
 Pooley, 451
 Popham, 355
 Porritt, 295
 Pott, 399
 Potton, 399
 Pouchet, 451
 Poulton, 304—307, 320, 321, 323
 Prackel, 184
 Prévost, 457
 Price, 566
 Puech, 181
 Pusch, 436
 Putnam, 174, 396
 Pütz, 366
- Quenstedt, 436
 Quinquaud, 185
- Rabl, 176
 Ragusa, 548
- Rambur, 50
 Ramsay, R. G. W., 46
 Ranse, de, 399
 Rapp, 120
 Rathke, 97, 468
 Redi, 561
 Reichenau, von, 392
 Reid, 458
 Reitter, 281
 Rey, 547, 550
 Richard, 150, 536, 543
 Richardson, 148
 Richmond, 279
 Ridgway, 393
 Rijkebusch, 329
 Ritzema Bos, 512, 551
 Rivers, 47
 Röber, 283
 Roberts, G., 461
 Roberts, T., 442
 Robinson, H., 99
 Röder, von, 551
 Rogenhofer, 284, 285
 Romanes, 425—428
 Romano, 523
 Rörberg, 355
 Rösel von Rosenhof, 526, 530, 536
 Rosenberg, 116—118, 138, 373, 383
 Rosinus, 436
 Rouget, 523
 Rousseau, 152
 Roux, 35
 Rüdinger, 330
 Rudolphi, 207, 244
 Rueff, 344
 Rüttimeyer, 246
- Saage, 148
 Salvin, 53, 297
 Sanderson, 398
 Sandifort, 458
 Sarasin, 433
 Sartorius, 512, 550
 Saunders, Howard, 397
 Sauvage, 276
 Schäff, 210
 Schleep, 470
 Schlegel, 226
 Schmankewitsch, 96
 Schmeltz, 566
 Schmitz, 177
 Schneider, 547, 550
 Schneider, A., 174
 Schultze, L., 438
 Schultze, O., 194
 Selater, P. L., 396
 Selater, W. L., 374
 Scudder, 50
 Seba, 565
 Sedgwick, 84, 92, 93, 173, 177
 Scerig, 348
 Seidel, 176
 Séringe, 523
 Serville, 412, 413

- Shannon, 185
 Sharp, D., 43, 53, 149, 411, 482, 494, 499
 Shaw, E., 413
 Shaw, V., 401
 Sherrington, 137, 138, 144, 168
 Siebold, von, 148
 Sinéty, 184
 Smit, 471
 Smith, E. A., 287
 Smith, F., 551
 Smith, S. J., 151
 Solger, 141
 Soubeiran, 529
 South, 300
 Spengel, 466
 Speyer, 283
 Spinola, 512
 Spronck, 329
 Stamati, 538
 Stannius, 142, 455, 461, 512, 522, 547
 Staudinger, 44
 Steenstrup, 466, 469
 Steindachner, 58, 468
 Steinthal, 359
 Stevens, 41
 Stewart, C., 180, 429, 440, 446
 Storer, 471
 Strahl, 154
 Strauch, 123
 Streckler, 51, 283, 295
 Streng, 352
 Strombeck, von, 436, 438
 Struthers, 103, 105—119, 122, 140, 327,
 329, 334, 346, 351, 356, 370, 389
 Studer, 277
 Sundevall, 471
 Sutton, 105, 176, 179, 180, 188, 555
- Tachard, 398
 Tarnier, 185, 345
 Taschenberg, 512
 Tegetmeier, 57, 393
 Testut, 187
 Thielmann, 277
 Thomas, O., 56, 120, 199, 228, 230, 246
 —249, 254, 257, 258, 313, 322, 397
 Thompson, W., 565
 Thomson, 412
 Thomson, Wyville, 466
 Tiedemann, 184, 512, 536, 540
 Tischbein, 511
 Traquair, 469
 Treitschke, 284
 Trélat, 451
- Treuge, 512
 Trimen, 51, 300
 Trinchese, 118
 Tuckerman, 170, 555
 Turner, Sir W., 465
- Urbantschitsch, 177
- Vaillant, 309, 471
 Viborg, 180
 Virchow, 74, 177, 178, 17
 Voigt, 58
 Vrolik, 58
- Wagner, 421
 Wagner, J., 451
 Walsingham, Lord, 300
 Ward, E., 379
 Warpachowski, 540
 Watase, 451, 463
 Waterhouse, F. H., 45, 545
 Webb, S., 301
 Wehenkel, 366, 368
 Weir, J. Jenner, 45, 51, 52, 254
 Weismann, 76, 304—307
 Welcker, 118, 120
 Weldon, 172
 Werner, 170
 Wesmael, 521
 Westwood, 283, 284, 508, 551
 Weyenbergh, 565
 White, 44
 Wilde, 178
 Wilder, 465
 Williams, 181, 185, 191
 Wilson, 304, 305, 307
 Wilson, E. B., 35
 Windle, 221, 326, 328, 392, 560
 Wiskott, 285
 Wolf, 399
 Woodgate, 284
 Wood-Mason, 367
 Woodward, M. F., 160, 162
 Woodward, Smith, 259
 Wright, 566
 Wright, L., 55, 393
 Wyman, 57, 203, 226, 401, 465, 561
- Yarrell, 59, 469, 471, 540
 Yarrow, 561
 Youatt, 285, 286
- Zeppelin, 565
 Zündel, 180

EVOLUTION.

A THEORY OF DEVELOPMENT AND HEREDITY. By
HENRY B. ORR, Ph.D., Professor at the Tulane University of Louisiana.
Crown 8vo. 6s. net.

SCOTSMAN.—‘Professor Orr does not profess to have proved, or worked out in its detail, his new “Theory of Development and Heredity.” But he has stated it with admirable perspicuity, and the solution which he offers of the problem, “How are changes brought about in the structure of organisms, and how are these changes transmitted to succeeding generations?” deserves thoughtful examination as offering a key to certain of the deeper secrets of life and growth, both bodily and mental.’

ORGANIC EVOLUTION AS THE RESULT OF THE
INHERITANCE OF ACQUIRED CHARACTERS ACCORDING
TO THE LAWS OF ORGANIC GROWTH. By Prof. G. H. EIMER.
Translated by J. T. CUNNINGHAM, M.A., F.R.S.E. 8vo. 12s. 6d.

THE COLLECTED WORKS OF THOMAS HENRY
HUXLEY, F.R.S. In Monthly Volumes. Globe 8vo. 5s. each Volume.
[*The Eversley Series.*]

Vol. I.—METHOD AND RESULTS.

Vol. II.—DARWINIANA.

Vol. III.—SCIENCE AND EDUCATION.

Vol. IV.—SCIENCE AND HEBREW TRADITION.

Vol. V.—SCIENCE AND CHRISTIAN TRADITION.

Vol. VI.—HUME.

Vol. VII.—ETHICAL AND PHILOSOPHICAL ESSAYS.

Vol. VIII.—MAN’S PLACE IN NATURE.

Vol. IX.—ESSAYS IN SCIENCE.

SOME VOLUMES OF “NATURE” SERIES.

Crown 8vo. Cloth.

CHARLES DARWIN. MEMORIAL NOTICES reprinted from
“Nature.” By THOMAS H. HUXLEY, F.R.S., G. J. ROMANES, F.R.S., Sir
ARCHIBALD GEIKIE, F.R.S., and W. T. DYER, F.R.S. 2s. 6d.

THE SCIENTIFIC EVIDENCES OF ORGANIC EVOLU-
TION. By GEORGE J. ROMANES, F.R.S. 2s. 6d.

ARE THE EFFECTS OF USE AND DISUSE INHERITED?
An Examination of the View held by Spencer and Darwin. By
W. PLATT BALL. 3s. 6d.

ON THE ORIGIN AND METAMORPHOSES OF INSECTS.
With Numerous Illustrations. By Sir JOHN LUBBOCK, M.P., F.R.S.
3s. 6d.

MACMILLAN AND CO., LONDON.

BOOKS BY DR. A. R. WALLACE, F.R.S.

DARWINISM: An Exposition of the Theory of Natural Selection,
with some of its Applications. Illustrated. Extra Crown 8vo. 9s.

SATURDAY REVIEW.—"Mr Wallace's volume may be taken as a faithful exposition of what Darwin meant. It is written with perfect clearness, with a simple beauty and attractiveness of style not common to scientific works, with a dignity and freedom from anything like personal bitterness worthy of Darwin himself, and with an orderliness and completeness that must render misconception impossible."

ATHENÆUM.—"Mr Wallace adds so much that is new, and he writes in so charming and simple a style, that his readers more than he are to be congratulated on the latest service he has rendered to the science he has served so well."

Prof. Ray Lankester in NATURE.—"No one has so strong a claim as Mr Wallace to be heard as the exponent of the theory of the origin of species, of which he is—with Darwin—the joint author. . . . The book is one which has interest not only for the general reader, to whom it is primarily addressed, but also for the more special students of natural history. The latter will find in its pages an abundance of new facts and arguments which, whether they prove convincing or not, are of extreme value and full of interest."

THE GEOGRAPHICAL DISTRIBUTION OF ANIMALS:

with a study of the relations of living and extinct faunas as elucidating the past changes of the earth's surface. With Maps and Illustrations. In two Vols. Medium 8vo. 42s.

NATURAL SELECTION AND TROPICAL NATURE:

Essays on Descriptive and Theoretical Biology. New Edition with corrections and additions. Extra Crown 8vo. 6s.

**ISLAND LIFE: OR, THE PHENOMENA AND CAUSES
OF INSULAR FAUNAS AND FLORAS.** Including a revision and

attempted solution of the problem of Geological climates. With Illustrations and Maps. Second Edition. Crown 8vo. 6s.

**THE MALAY ARCHIPELAGO: THE LAND OF THE
ORANG-UTAN AND THE BIRD OF PARADISE.** A Narrative of

Travel. With Studies of Man and Nature. With Maps and Illustrations. Fourth Edition. Extra Crown 8vo. 6s.

GLASGOW HERALD.—"There is probably no more interesting book of travel in the language. . . . For one-and-twenty years it has held its place as a monograph in a region of the East which is full of fascination, not only for the naturalist and ethnographer, but for the ordinary reader of travels."

MACMILLAN AND CO., LONDON.